Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
					С
		TN8209	B. WING		07/30/2020
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
HOLSTON MANOR 3641 MEMORIAL BLVD KINGSPORT, TN 37664					
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES ID PROVIDER'S PLAN OF CORRECTION (X5)					
PREFIX TAG	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE COMPLETE CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY)	
N 002	1200-8-6 No Deficiencies		N 002		
	This Rule is not met and a complaint investigation was conducted on 7/2 Holston Manor Rehalt deficiencies were cited Standards for Nursing Standards for N	tion for complaint #51606 29/2020-7/30/2020 at oilitation. No health d under 1200-8-6,			

Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE